Welcome to a new beginning. KYZATREX® is a prescription drug that is used to treat adult men who have low or no testosterone levels due to certain medical conditions. We're so glad you've decided to embrace your hero status by taking charge of your testosterone health.

Your prescription has been sent to the pharmacy indicated below:



Gifthealth Rx Partners

266 N. 4th St. 2nd Fl Columbus, OH, 43215-0001

NPI: 1932780475 **NCPDP:** 3688833 Call: (833) 614-4438 Fax in Rx: (614) 725-4567

Note to physician: Gifthealth Rx Pharmacy ships nationwide to all 50 states.

Once your doctor sends in your prescription, you will need to:



1. Scan the QR code or visit
https://www.gifthealth.com/kyzatrex-patient
2. Gifthealth will contact you to verify your

prescription information.

Information they may need:

- Driver's License
- Address Verification
- Payment Information

Gifthealth will dispense and ship your prescriptions. They will also send you a tracking link so you can keep track of the progress of your package.

For more information or if you have any questions, please email care@gifthealth.com



DiRx Pharmacy

3540 NW 56th St, Suite 204 Ft Lauderdale, FL 33309

NPI: 1447555453 **NCPDP: 5707801**

Call in Rx: (877) 367-3479 Fax in Rx: (833) 347-9329

Note to Physician: DiRx Pharmacy ships nationwide except to

New York.

Once your doctor sends in your prescription, you will need to:



https://www.dirxhealth.com/kyzatrex.

2. On the website, select your KYZATREX strength and click 'Add to Cart.'

- 3. Click 'Proceed to Checkout.'
- 4. If you do not already have an account with DiRx, then you must create one.
- 5. During the check-out process, you will be asked to add relevant patient and shipping information, a valid credit card and asked to upload an image of your valid driver's license.
- 6. Once you have completed your order, you will receive email messages to keep you updated on the order's journey to you.

For more information or if you have any questions, please email care@dirxhealth.com.

Tips for KYZATREX Success:

- You should always take KYZATREX with food, but fat content or diet type doesn't matter. KYZATREX can be taken with alcohol.
- KYZATREX is clinically proven to help boost testosterone levels. However, you can also help maintain your metabolic health by eating right, exercising (including resistance training) and prioritizing 7-8 hours of sleep every night.
- Remember to schedule follow-up appointments with your doctor to monitor your testosterone levels.



@ TESTOSTERONE UNDECANOATE CAPSULES

Important Safety Information for KYZATREX®

KYZATREX can increase blood pressure, which can increase the risk of having a heart attack or stroke and can increase risk of death due to a heart attack or stroke. Your risk may be greater if you have already had a heart attack or stroke or if you have other risk factors for heart attack or stroke.

- If your blood pressure increases while on KYZATREX, blood pressure medicines may need to be started. If you are currently taking blood pressure medicines, they may need to be changed or new blood pressure medicines may need to be added to control your blood
- If your blood pressure cannot be controlled, KYZATREX may need to be stopped.
- Your healthcare provider will monitor your blood pressure while you are being treated with KYZATREX.

Please see additional Important Safety Information on back and accompanying Full Prescribing Information.

Use

KYZATREX® (testosterone undecanoate) is a prescription drug that is used to treat adult men who have low or no testosterone levels due to certain medical conditions.

KYZATREX is a controlled substance (CIII) because it contains testosterone. It is not known if KYZATREX is safe or effective in males younger than 18 years old. Improper use may affect bone growth in children. KYZATREX is not meant for use by women.

Important Safety Information for KYZATREX°

KYZATREX can increase blood pressure, which can increase the risk of having a heart attack or stroke and can increase risk of death due to a heart attack or stroke. Your risk may be greater if you have already had a heart attack or stroke or if you have other risk factors for heart attack or stroke.

- If your blood pressure increases while on KYZATREX, blood pressure medicines may need to be started. If you are currently taking blood pressure medicines, they may need to be changed or new blood pressure medicines may need to be added to control your blood pressure.
- If your blood pressure cannot be controlled, KYZATREX may need to be stopped.
- Your healthcare provider will monitor your blood pressure while you are being treated with KYZATREX.

Do not take KYZATREX if you: have breast cancer; have or might have prostate cancer; are a woman who is pregnant (KYZATREX may harm your unborn baby); are allergic to KYZATREX or any of its ingredients; or have low testosterone without certain medical conditions (e.g., do not take KYZATREX if you have low testosterone due to age).

Before you take KYZATREX, tell your healthcare provider about all of your medical conditions, including if you: have high blood pressure or are treated for high blood pressure; have a history of diabetes; have heart problems; have high red blood cell count (hematocrit) or high hemoglobin laboratory value; have urinary problems due to an enlarged prostate; have liver or kidney problems; or have problems breathing while you sleep (sleep apnea).

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking KYZATREX with certain other medicines can affect each other. Especially, tell your healthcare provider if you take: insulin; medicines that decrease blood clotting (blood thinners); corticosteroids; or medicines that increase blood pressure, such as some cold medicine and pain medicines.

KYZATREX may cause other serious side effects including:

- Increase in red blood cell count (hematocrit) or hemoglobin, which can increase the risk of blood clots, strokes, and heart attacks. You may need to stop KYZATREX if your red blood cell count increases.
- If you already have an enlarged prostate, your signs and symptoms may worsen while taking KYZATREX. These may include: increased urination at night; trouble starting your urine stream; urinating many times during the day; urge to go to the bathroom right away; a urine accident; inability to pass urine or weak urine flow.

- · Increased risk of prostate cancer.
- **Blood clots in the legs or lungs**. Signs and symptoms of a blood clot in your leg can include pain, swelling or redness. Signs and symptoms of a blood clot in your lungs can include difficulty breathing or chest pain.
- Abuse. Testosterone can be abused when taken at higher than prescribed doses and when used with other anabolic androgenic steroids. Abuse can cause serious heart and psychological side effects.
- In large doses, KYZATREX may lower your sperm count.
- Liver problems. Symptoms of liver problems may include: nausea or vomiting; yellowing of your skin or whites of your eyes; dark urine; pain on the right side of your stomach area (abdominal pain).
- Swelling of your ankles, feet, or body (edema), with or without heart failure.
- Enlarged or painful breasts.
- Breathing problems while you sleep (sleep apnea).

Call your healthcare provider right away if you have any of the serious side effects listed above.

The most common side effect of KYZATREX is high blood pressure. Other side effects may include: headache, joint or back pain, diarrhea, increased red blood cell count, anxiety, constipation, swelling of the legs, and increased prostate specific antigen (PSA) levels.

These are not all the possible side effects of KYZATREX. For more information, ask your healthcare provider or pharmacist.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088. You may also report side effects to Marius [by visiting www.mariuspharma.com].

Keep KYZATREX and all medicines out of the reach of children.

See Full Prescribing Information and Medication Guide for KYZATREX.

Marius Pharmaceuticals 2301 Sugar Bush Road, Suite 510 Raleigh, NC 27612 919-374-1913

mariuspharma.com

KYZATREX[®] and its associated logo are registered trademarks of Marius Pharmaceuticals.

©2024 Marius Pharmaceuticals. All rights reserved.

Rev. 3/2024